



**QUEEN'S
UNIVERSITY
BELFAST**

Transit Zones of the Solar System Planets

Wells, R., Poppenhaeger, K., Watson, C., & Heller, R. (2017). *Transit Zones of the Solar System Planets*. Poster session presented at Advanced School on Exoplanetary Science, Salerno, Italy.

Document Version:
Other version


Queen's University Belfast - Research Portal:
[Link to publication record in Queen's University Belfast Research Portal](#)

Publisher rights
© 2017 The Author(s).

General rights
Copyright for the publications made accessible via the Queen's University Belfast Research Portal is retained by the author(s) and / or other copyright owners and it is a condition of accessing these publications that users recognise and abide by the legal requirements associated with these rights.

Take down policy
The Research Portal is Queen's institutional repository that provides access to Queen's research output. Every effort has been made to ensure that content in the Research Portal does not infringe any person's rights, or applicable UK laws. If you discover content in the Research Portal that you believe breaches copyright or violates any law, please contact openaccess@qub.ac.uk.

Transit Zones of the Solar System Planets



Robert Wells¹, Katja Poppenhaeger^{1,2}, Chris Watson¹, René Heller³

1. Queen's University Belfast, UK, 2. Harvard-Smithsonian CfA, USA, 3. Max Planck Institute for Solar System Research, Germany



Introduction

- We have now detected over 2700 transiting extra-solar planets, but where could transits of the Solar System planets be observed?
- To answer this, we introduce the concept of “transit zones” (TZs) – regions on the sky where full transits of the Solar System planets could be observed.
- The diagram on the right shows how these zones are projected as a disk around the Sun for any given planet.
- The equation gives the “transit zone angle”, i.e. the thickness of these disks, where d (Sun-planet distance) may vary throughout the orbit due to eccentricity.





Figure adapted from Heller & Pudritz (2016)¹

$$\phi_{TZ} = 2 \left(\arctan \left(\frac{R_{\odot}}{d} \right) - \arcsin \left(\frac{R_p}{\sqrt{d^2 + R_{\odot}^2}} \right) \right)$$

Method


- Obtained heliocentric-ecliptic coordinates and the Sun-planet distance for 300 data points over a single complete orbit for all Solar System planets from JPL Horizons².
- Computed the transit zone angle at each point using the equation above.
- Computed boundaries of the transit zones by adding/subtracting $\phi_{TZ}/2$ from the latitude at each point.
- ➔ These are plotted below for all transit zones, where an observer situated within a coloured region could see transits of the related planet.



- Earth's TZ is a disk of near-constant latitude with a thickness of 0.528° centered on zero (the ecliptic plane).
- The other planets describe sinusoidal tracks.
- Only possible to view transits of a maximum of 3 planets from any point in the sky.
- All planets' transit zones cross with each other.
- 8 combinations exist where three different planet transits can be observed (see zoomed-in example)
- Each crossover consists of two regions displaced by roughly 180 degrees of longitude.

Transit Zones across the Milky Way

- The figure below shows how the orbits of the Solar System planets project on to the galactic plane.



References

- Heller, R. & Pudritz, R. E., 2016, *Astrobiology* 16, 259–270
- <https://ssd.jpl.nasa.gov/horizons.cgi>
- Borucki, W. J. & Summers, A. L., 1984, *Icarus* 58, 121–134
- Batalha N. M., 2014, *PNAS*, 111, 12647

Geometric Transit Probabilities

- The probability of each planet being visible for a randomly positioned observer were evaluated.
- These were found by comparing the area of each transit zone and crossover to the area of a sphere, 4π .
- We note significant differences when approximating the transit zone angle as $2R_{\odot}/d$, first utilised by Borucki and Summers 1984³.
- This approximation causes the probabilities to be overestimated by up to 17%, due to treating the planets as point object.
- We therefore note that this approximation should not be used for larger planets as it does not hold.

Estimated no. of Earth analogues in Earth's transit zone

- From η_{\oplus} – the frequency of Earth-like planets in the habitable zone around their host star, we estimate how many we would expect to find the Earth's transit zone.
- 1022 K and G dwarfs with $M_V < 13$ (PLATO limit) in Earth's TZ in the Simbad catalogue. ~3000 accounting for catalogue incompleteness.
- $\eta_{\oplus} = 22\%$ for $0.5-1.4R_{\oplus}$ around GK stars⁴.
- Therefore expect 660 Earth-like planets in this sample of GK stars.
- Transiting probability of Earth = 0.46%.
- ➔ Expect 3 planets which transit from our perspective.

Questions or Comments?

- If I'm around, just ask!
- Or else, email me at rwells02@qub.ac.uk

